




BAROMETER ANTIBIOTIC USE

JANUARY 2019 – DECEMBER 2020


BAROMETER SANITEL-MED: TOTAL AB USE IN PIGS, POULTRY AND VEAL CALVES

Evolution of ton AB used per ANIMAL TYPE in Sanitel-Med with reference to sales data of 2019




BAROMETER SANITEL-MED: TOTAL AB USE IN PIGS, POULTRY AND VEAL CALVES (2)

Evolution of ton AB used and percentage of farms where it was used per ANIMAL TYPE in Sanitel-Med




BAROMETER SANITEL-MED: USE OF RED MOLECULES - FLUOROQUINOLONES

Evolution of kg fluoroquinolones used and percentage of farms where it was used per ANIMAL TYPE in Sanitel-Med




Evolution of total kg fluoroquinolones used in Sanitel-Med
with reference to sales data of 2019




BAROMETER SANITEL-MED: USE OF RED MOLECULES – CEPHALOSPORINES 3G/4G

Evolution of kg cephalosporines 3G/4G used and percentage of PIG farms where it was used in Sanitel-Med




BAROMETER SANITEL-MED: USE OF COLISTIN

Evolution of kg colistin used and percentage of farms where it was used per ANIMAL TYPE in Sanitel-Med




Evolution of total kg colistin used in Sanitel-Med
with reference to sales data of 2019



BAROMETER SANITEL-MED: USE OF ZINC OXIDE IN PIGS


Evolution of ton ZnO used and percentage of PIG farms where it was used in Sanitel-Med with reference to sales data of 2019

ton



BAROMETER SANITEL-MED: USE OF ZINC OXIDE & COLISTIN IN PIGS


Evolution of ton ZnO and colistin used and percentage of PIG farms where it was used in Sanitel-Med



BAROMETER SANITEL-MED: USE OF ZINC OXIDE & COLISTINE IN WEANED PIGLETS

Evolution of percentage of farms with WEANED PIGLETS (PIGLW) treating them with ZnO and/or colistin in Sanitel-Med

% Farms





CONTACT INFORMATION

SANITELMED@FAGG.BE