



BAROMETER ANTIBIOTIC USE

OCTOBER 2019 – SEPTEMBER 2021

BAROMETER SANITEL-MED: TOTAL AB USE IN PIGS, POULTRY AND VEAL CALVES

Evolution of ton AB used per ANIMAL TYPE in Sanitel-Med with reference to sales data of 2020

ton

200

150

144,9

16,5

25,2

103,2

143,2

16,4

24,8

101,9

137,7

15,8

22,6

99,4

134,2

15,1

20,8

98,2

129,3

14,5

18,6

96,0

181,7

[oct-19; sept-20]


[jan-20; dec-20]

[apr-20; mar-21]

[july-20; june-21]


[oct-20; sept-21]

Sales data 2020




BAROMETER SANITEL-MED: TOTAL AB USE IN PIGS, POULTRY AND VEAL CALVES (2)

Evolution of ton AB used and percentage of farms where it was used per ANIMAL TYPE in Sanitel-Med




BAROMETER SANITEL-MED: USE OF RED MOLECULES – (FLUORO)QUINOLONES

Evolution of kg (fluoro)quinolones used and percentage of farms where it was used per ANIMAL TYPE in Sanitel-Med




BAROMETER SANITEL-MED: USE OF RED MOLECULES – CEPHALOSPORINES 3G/4G

Evolution of kg cephalosporines 3G/4G used and percentage of PIG farms where it was used in Sanitel-Med




Evolution of total kg cephalosporines 3G/4G used in Sanitel-Med with reference to sales data of 2020



Sales data 2020


BAROMETER SANITEL-MED: USE OF COLISTIN

Evolution of kg colistin used and percentage of farms where it was used per ANIMAL TYPE in Sanitel-Med



BAROMETER SANITEL-MED: USE OF ZINC OXIDE IN PIGS


Evolution of ton ZnO used and percentage of PIG farms where it was used in Sanitel-Med with reference to sales data of 2020



BAROMETER SANITEL-MED: USE OF ZINC OXIDE & COLISTIN IN PIGS

Evolution of ton ZnO and colistin used and percentage of PIG farms where it was used in Sanitel-Med


ton



BAROMETER SANITEL-MED: USE OF ZINC OXIDE & COLISTINE IN WEANED PIGLETS

Evolution of percentage of farms with WEANED PIGLETS (PIGLW) treating them with ZnO and/or colistin in Sanitel-Med

% Farms





CONTACT INFORMATION

SANITELMED@FAGG.BE