




BAROMETER ANTIBIOTIC USE

APRIL 2021 - MARCH 2023


BAROMETER SANITEL-MED: TOTAL AB USE IN PIGS, POULTRY AND VEAL CALVES (1)




BAROMETER SANITEL-MED: TOTAL AB USE IN PIGS, POULTRY AND VEAL CALVES (2)



BAROMETER SANITEL-MED: USE OF RED MOLECULES – (FLUORO)QUINOLONES



BAROMETER SANITEL-MED: USE OF RED MOLECULES – CEPHALOSPORINES 3G/4G




BAROMETER SANITEL-MED: USE OF COLISTIN



BAROMETER SANITEL-MED: PERCENTILES OF THE BM REFERENCE GROUPS (1)

PIGS – Nursery piglets






BAROMETER SANITEL-MED: PERCENTILES OF THE BM REFERENCE GROUPS (2)

PIGS – Weaning piglets






BAROMETER SANITEL-MED: PERCENTILES OF THE BM REFERENCE GROUPS (3)


PIGS – Fattening pigs






BAROMETER SANITEL-MED: PERCENTILES OF THE BM REFERENCE GROUPS (4)

PIGS - Sows



BAROMETER SANITEL-MED: PERCENTILES OF THE BM REFERENCE GROUPS (5)


POULTRY – Broiler chickens



BAROMETER SANITEL-MED: PERCENTILES OF THE BM REFERENCE GROUPS (6)


POULTRY – Laying hens






BAROMETER SANITEL-MED: PERCENTILES OF THE BM REFERENCE GROUPS (7)

VEAL – Veal calves 2 Zero users excluded



BAROMETER SANITEL-MED: % OF FARMS IN EACH OF THE 3 COLOUR ZONES (1)




BAROMETER SANITEL-MED: % OF FARMS IN EACH OF THE 3 COLOUR ZONES (2)



BAROMETER SANITEL-MED: % OF FARMS IN EACH OF THE 3 COLOUR ZONES (3)


All animal categories





BAROMETER SANITEL-MED: % OF FARMS IN EACH OF THE 3 COLOUR ZONES (3)


All animal types



BAROMETER SANITEL-MED: TONS USED BY FARMS IN EACH OF THE 3 COLOUR ZONES (1)


All animal types





BAROMETER SANITEL-MED: TONS USED BY FARMS IN EACH OF THE 3 COLOUR ZONES (2)

All animal categories







CONTACT INFORMATION

SANITELMED@FAGG.BE