



BAROMETER ANTIBIOTIC USE

APRIL 2023 – MARCH 2025


TOTAL TON ANTIBIOTICS (AB) USED

SANITEL-MED BAROMETER ANTIBIOTIC USE


APRIL 2023 – MARCH 2025




TOTAL TON AB USED PER ANIMAL TYPE




TOTAL TON AB USED IN PIGS PER ANIMAL CATEGORY




TOTAL TON AB USED IN POULTRY PER PRODUCTION TYPE





TOTAL TON AB USED IN POULTRY PER PRODUCTION TYPE AND ANIMAL CATEGORY



TOTAL TON AB USED IN POULTRY PER PRODUCTION TYPE AND ANIMAL CATEGORY



TOTAL TON AB USED IN CATTLE PER PRODUCTION TYPE AND ANIMAL CATEGORY



% OF FARMS WITH AB USE


SANITEL-MED BAROMETER ANTIBIOTIC USE

APRIL 2023 – MARCH 2025



% OF FARMS WHERE AB WERE USED PER ANIMAL (PRODUCTION) TYPE

= Number of farms accounting for the total tonnes used / number of active farms of the production type with animals present





USE OF CRITICALLY IMPORTANT ANTIBIOTICS

SANITEL-MED BAROMETER ANTIBIOTIC USE


APRIL 2023 – MARCH 2025




(FLUORO)QUINOLONES: KG USED AND % OF FARMS WITH USE PER ANIMAL TYPE




(FLUORO)QUINOLONES: USE IN VEAL CALVES PER ADMINISTRATION ROUTE




(FLUORO)QUINOLONES: USE IN CATTLE PER ADMINISTRATION ROUTE




CEPHALOSPORINS 3G/4G: KG USED AND % OF FARMS WITH USE PER ANIMAL TYPE



CEPHALOSPORINS 3G/4G: USE IN CATTLES PER ADMINISTRATION ROUTE



COLISTIN: KG USED AND % OF FARMS WITH USE PER ANIMAL TYPE



PERCENTILES OF THE BENCHMARK REFERENCE GROUPS


SANITEL-MED BAROMETER ANTIBIOTIC USE

APRIL 2023 – MARCH 2025



AVERAGE BD_{100} PERCENTILES AND THE SECTOR-SPECIFIC THRESHOLD VALUES: PIGS


Suckling piglets



AVERAGE BD₁₀₀ PERCENTILES AND THE SECTOR-SPECIFIC THRESHOLD VALUES: PIGS




AVERAGE BD_{100} PERCENTILES AND THE SECTOR-SPECIFIC THRESHOLD VALUES: PIGS




AVERAGE BD₁₀₀ PERCENTILES AND THE SECTOR-SPECIFIC THRESHOLD VALUES: PIGS

Sows



AVERAGE BD_{100} PERCENTILES AND THE SECTOR-SPECIFIC THRESHOLD VALUES: POULTRY


Broilers




AVERAGE BD_{100} PERCENTILES AND THE SECTOR-SPECIFIC THRESHOLD VALUES: POULTRY

Other Chicken “meat” & Turkey


Chicken Propagation-Selection Meat



Chicken Rearing-Propagation-Selection Meat



Turkey




AVERAGE BD₁₀₀ PERCENTILES AND THE SECTOR-SPECIFIC THRESHOLD VALUES: POULTRY




AVERAGE BD_{100} PERCENTILES AND THE SECTOR-SPECIFIC THRESHOLD VALUES: POULTRY

Other chicken “lay”


Chicken Propagation-Selection Lay



Chicken Rearing(-Propagation-Selection) Lay




AVERAGE BD_{100} PERCENTILES AND THE SECTOR-SPECIFIC THRESHOLD VALUES: VEAL CALVES




AVERAGE BD₁₀₀ PERCENTILES AND THE SECTOR-SPECIFIC THRESHOLD VALUES: DAIRY CATTLE


Calf 0 – 3 months




Calf 4 – 8 months



Young stock 9 – 24 months




Adult cows +24 months




AVERAGE BD₁₀₀ PERCENTILES AND THE SECTOR-SPECIFIC THRESHOLD VALUES: BEEF CATTLE


Calf 0 – 3 months




Calf 4 – 8 months



Young stock 9 – 24 months



Adult cows +24 months



% FARMS PER BENCHMARK COLOUR

SANITEL-MED BAROMETER ANTIBIOTIC USE

APRIL 2023 – MARCH 2025



% OF FARMS (BENCHMARK 'IN') PER ANIMAL TYPE PER BENCHMARK COLOUR

Benchmarkperiod: April 2024 - March 2025 (pigs, poultry, dairy and beef cattle); April 2023 - March 2025 (veal calves)




% OF FARMS (BENCHMARK 'IN') PER BENCHMARK COLOUR: PIGS




% OF FARMS (BENCHMARK 'IN') PER BENCHMARK COLOUR: PIGS


PIGS - Suckling piglets




PIGS - Weaned piglets



PIGS - Fattening pigs



PIGS - Sows




% OF FARMS (BENCHMARK 'IN') PER BENCHMARK COLOUR: POULTRY




* In all laying chicken categories, the median BD_{100} values equal zero, so there is no yellow colour zone distinguished. Farms have either a green or red benchmarking colour score.

% OF FARMS (BENCHMARK 'IN') PER BENCHMARK COLOUR: POULTRY


POULTRY - Broilers




POULTRY - Laying hens




POULTRY - Turkey



Other chicken "meat"




Other chicken "lay"



% OF FARMS (BENCHMARK 'IN') PER BENCHMARK COLOUR: VEAL CALVES

% Farms

100,0%
90,0%
80,0%
70,0%
60,0%
50,0%
40,0%
30,0%
20,0%
10,0%
0,0%




Veal calves

Bovines



VEAL - Veal calves




TON ANTIBIOTICS USED PER BENCHMARK COLOUR

SANITEL-MED BAROMETER ANTIBIOTIC USE


APRIL 2023 – MARCH 2025




TON AB USED PER ANIMAL TYPE AND BENCHMARK COLOUR




TON AB USED PER BENCHMARK COLOUR: PIGS



TON AB USED PER BENCHMARK COLOUR: POULTRY



TON AB USED PER BENCHMARK COLOUR: CATTLE





agence fédérale des médicaments et des produits de santé
federaal agentschap voor geneesmiddelen en gezondheidsproducten



CONTACT INFORMATION

SANITELMED@FAGG.BE