



BAROMETER ANTIBIOTIC USE

JULY 2023 – JUNE 2025


TOTAL TON ANTIBIOTICS (AB) USED

SANITEL-MED BAROMETER ANTIBIOTIC USE


JULY 2023 – JUNE 2025




TOTAL TON AB USED PER ANIMAL TYPE




TOTAL TON AB USED IN PIGS PER ANIMAL CATEGORY




TOTAL TON AB USED IN POULTRY PER PRODUCTION TYPE




TOTAL TON AB USED IN POULTRY PER PRODUCTION TYPE AND ANIMAL CATEGORY




TOTAL TON AB USED IN POULTRY PER PRODUCTION TYPE AND ANIMAL CATEGORY



TOTAL TON AB USED IN CATTLE PER PRODUCTION TYPE



TOTAL TON AB USED IN CATTLE PER ANIMAL CATEGORY



% OF FARMS WITH AB REGISTRATIONS


SANITEL-MED BAROMETER ANTIBIOTIC USE

JULY 2023 – JUNE 2025



% OF FARMS WHERE AB WERE USED PER ANIMAL (PRODUCTION) TYPE

= Number of farms accounting for the total tonnes used / number of active farms of the production type with animals present



USE OF CRITICALLY IMPORTANT ANTIBIOTICS

SANITEL-MED BAROMETER ANTIBIOTIC USE

JULY 2023 – JUNE 2025




(FLUORO)QUINOLONES: KG USED AND % OF FARMS WITH USE PER ANIMAL TYPE




(FLUORO)QUINOLONES: USE IN POULTRY PER POULTRY CATEGORY




(FLUORO)QUINOLONES: USE IN VEAL CALVES PER ADMINISTRATION ROUTE




CEPHALOSPORINS 3G/4G:



CEPHALOSPORINS 3G/4G: USE IN CATTLE PER ADMINISTRATION ROUTE



COLISTIN: KG USED AND % OF FARMS WITH USE PER ANIMAL TYPE



COLISTIN: USE IN POULTRY PER POULTRY CATEGORY



PERCENTILES OF THE BENCHMARK REFERENCE GROUPS

SANITEL-MED BAROMETER ANTIBIOTIC USE


JULY 2023 – JUNE 2025



AVERAGE BD₁₀₀ PERCENTILES AND THE SECTOR-SPECIFIC THRESHOLD VALUES: PIGS


Suckling piglets (n farms benchmark IN = 1 307)

Avg BD₁₀₀



AVERAGE BD₁₀₀ PERCENTILES AND THE SECTOR-SPECIFIC THRESHOLD VALUES: PIGS


Weaned piglets (n BM IN = 1 368)



AVERAGE BD₁₀₀ PERCENTILES AND THE SECTOR-SPECIFIC THRESHOLD VALUES: PIGS


Fattening pigs (n = 3 458)

Avg BD₁₀₀




AVERAGE BD_{100} PERCENTILES AND THE SECTOR-SPECIFIC THRESHOLD VALUES: PIGS

Sows (n = 1 309)



AVERAGE BD_{100} PERCENTILES AND THE SECTOR-SPECIFIC THRESHOLD VALUES: POULTRY


Broilers (n = 754)




AVERAGE BD₁₀₀ PERCENTILES AND THE SECTOR-SPECIFIC THRESHOLD VALUES: POULTRY

Other Chicken “meat” & Turkey


Avg BD₁₀₀ Chicken Propagation-Selection Meat (n 106)



Avg BD₁₀₀ Chicken Rearing-Propagation-Selection Meat (n = 51)




Avg BD₁₀₀ Turkey (n = 43)



AVERAGE BD₁₀₀ PERCENTILES AND THE SECTOR-SPECIFIC THRESHOLD VALUES: POULTRY


Laying hens (n = 208)




AVERAGE BD₁₀₀ PERCENTILES AND THE SECTOR-SPECIFIC THRESHOLD VALUES: POULTRY

Other chicken “lay”


Chicken Propagation-Selection Lay (n = 8)



Chicken Rearing(-Propagation-Selection) Lay (n = 54)







AVERAGE BD_{100} PERCENTILES AND THE SECTOR-SPECIFIC THRESHOLD VALUES: VEAL CALVES



AVERAGE BD₁₀₀ PERCENTILES AND THE SECTOR-SPECIFIC THRESHOLD VALUES:


DAIRY CATTLE



AVERAGE BD₁₀₀ PERCENTILES AND THE SECTOR-SPECIFIC THRESHOLD VALUES: BEEF CATTLE


Avg BD100

Calf 0 – 3 months (n = 1 944)




Avg BD100

Calf 4 – 8 months (n = 4 258)




Avg BD100

Young stock 9 – 24 months (n = 5 334)



Avg BD100

Adult cows +24 months (n = 5 025)



% FARMS PER BENCHMARK COLOUR


SANITEL-MED BAROMETER ANTIBIOTIC USE

JULY 2023 – JUNE 2025



% OF FARMS (BENCHMARK 'IN') PER ANIMAL TYPE PER BENCHMARK COLOUR

Benchmark period: April 2024 - March 2025 (pigs, poultry, dairy and beef cattle); April 2023 - March 2025 (veal calves)




% OF FARMS (BENCHMARK 'IN') PER BENCHMARK COLOUR: PIGS




% OF FARMS (BENCHMARK 'IN') PER BENCHMARK COLOUR: PIGS


PIGS - Suckling piglets




PIGS - Weaned piglets



PIGS - Fattening pigs



PIGS - Sows




% OF FARMS (BENCHMARK 'IN') PER BENCHMARK COLOUR: POULTRY




* In the 'Laying hens' category, the median BD_{100} values equal zero, so there is no yellow colour zone distinguished. Farms have either a green or red benchmarking colour score.

% OF FARMS (BENCHMARK 'IN') PER BENCHMARK COLOUR: POULTRY


POULTRY - Broilers




POULTRY - Laying hens




POULTRY - Turkey



Other chicken "meat"





Other chicken "lay"



% OF FARMS (BENCHMARK 'IN') PER BENCHMARK COLOUR: VEAL CALVES

% Farms




TON ANTIBIOTICS USED PER BENCHMARK COLOUR

SANITEL-MED BAROMETER ANTIBIOTIC USE


JULY 2023 – JUNE 2025




TON AB USED PER ANIMAL TYPE AND BENCHMARK COLOUR




TON AB USED PER BENCHMARK COLOUR: PIGS



TON AB USED PER BENCHMARK COLOUR: POULTRY



TON AB USED PER BENCHMARK COLOUR: CATTLE





agence fédérale des médicaments et des produits de santé
federaal agentschap voor geneesmiddelen en gezondheidsproducten



CONTACT INFORMATION

SANITELMED@FAGG.BE